

# Material Safety Data Sheet

according to 91/155/EEC

**Product name :** MASTERTOP BC 300, COMP B (CONIPOX 600)  
600\_B  
**Revision :** 07.07.2006      **Version :** 6.0.0  
**Print date :** 24.07.2006

---

## 01. Identification of substance, preparation and company

### Product name

MASTERTOP BC 300, COMP B (CONIPOX 600) (630-0600-5573) (600\_B)

### Manufacturer/Supplier

BASF Construction Chemicals  
(Schweiz) AG Division CONICA Technik

### Street/P.O.Box

Industriestrasse 26 /

### Country code/Postal code/Town/City

CH-8207 Schaffhausen

### Telephone / Telefax

+41-58-958-2525 / +41-58-958-3525

### Emergency information

Schweizer Toxzentrum +0041-1-2515151 (CH)  
Centre Anti - Poison +0033 01 40 37 04 04 (FR)  
Toxikologické informa-ní st-edisko +00420 224 919 293 (CZ)  
Myrkytystietokeskus puh.(suora) +358 (0) 9 471 977 (vaihde) 094711 (FIN)

---

## 02. Composition/information on ingredients

### Chemical characterization

Modified cycloaliphatic polyamine mixture

### Hazardous components

3-AMINOMETHYL-3,5,5-TRIMETHYLCYCLOHEXYLAMINE ; EC-No. : 220-666-8 ; CAS-No. : 2855-13-2

Percentage : 25 - 50 %  
Classification : C ; R 34 R 43 R 52/53 Xn ; R 21/22

BENZYL ALCOHOL ; EC-No. : 202-859-9 ; CAS-No. : 100-51-6

Percentage : 10 - 25 %  
Classification : Xn ; R 20/22

POLYOXYPROPYLEN DIAMINE ; CAS-No. : 9046-10-0

Percentage : 10 - 25 %  
Classification : C ; R 34 Xn ; R 21/22

M-PHENYLENEBIS(METHYLAMINE) ; EC-No. : 216-032-5 ; CAS-No. : 1477-55-0

Percentage : 10 - 25 %  
Classification : C ; R 34 Xn ; R 20/21/22

For the wording of the listed risk phrases refer to section 16.

---

## 03. Hazards identification

### Hazard designation

Causes burns. · May cause sensitisation by skin contact. · Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. · Harmful by inhalation, in contact with skin and if swallowed.

Classification : C ; R 34 · R 43 · R 52/53 · Xn ; R 20/21/22

---

# Material Safety Data Sheet

according to 91/155/EEC

**Product name :** MASTERTOP BC 300, COMP B (CONIPOX 600)  
600\_B  
**Revision :** 07.07.2006      **Version :** 6.0.0  
**Print date :** 24.07.2006

---

## 04. First-aid measures

### **After inhalation**

Take the casualty into the fresh air and keep warm. Keep at rest. Irregular breathing/no breathing: artificial respiration.  
Unconsciousness: lateral position - call a physician.

### **After skin contact**

Immediately remove all contaminated clothing. Wash away with soap and water and rinse. Do NOT use solvents or thinners.

### **After eye contact**

Remove contact lenses, keep eyelids open. Flush with plenty of water (10 - 15 min.). Call a physician.

### **After ingestion**

Contact a doctor immediately. Keep at rest. Do not induce vomiting.

---

## 05. Fire-fighting measures

### **Suitable extinguishing media**

Alcohol resistant foam, CO<sub>2</sub>, powders, water spray.

### **Unsuitable extinguishing media**

Waterjet.

### **Special risk posed by the substance or by the actual preparation, its combustion products or gases discharged**

Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.

### **Special protective equipment**

Appropriate breathing apparatus may be required.

### **Additional information**

Cool endangered containers with water in case of fire. Do not allow the quenching water into the sewage system.

---

## 06. Accidental release measures

### **Personal precautions**

Provide for sufficient ventilation. Do not inhale the vapour. Refer to protective measures listed in sections 7 and 8.

### **Environmental precautions**

Do not empty into drains. If the product contaminates lakes, rivers or sewages, inform appropriate authorities in accordance with local regulations.

### **Methods for cleaning up/collecting**

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent; avoid use of solvents.

---

## 07. Handling and storage

### **Information for safe handling**

Avoid contact with skin and eyes. Do not inhale the vapour. Do not eat or drink during work - no smoking. Comply with the health and safety at work laws.

### **Requirements to be met by storerooms and containers**

Containers should be kept dry and sealed. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

# Material Safety Data Sheet

according to 91/155/EEC

**Product name :** MASTERTOP BC 300, COMP B (CONIPOX 600)  
600\_B  
**Revision :** 07.07.2006      **Version :** 6.0.0  
**Print date :** 24.07.2006

---

## Information about separation of incompatible products

Keep away from oxidizing agents, from strongly alkaline and strongly acid materials.

## Further information about storage conditions

Always keep in containers of same material as the original one. See also instructions on the label. Avoid heating and direct sunlight.

**Storage class (VCI) :** 8

---

## 08. Exposure controls and personal protection

### Additional information about engineering measures

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit) , suitable respiratory protection must be worn.

### Personal protective equipment

#### Respiratory protection

If workplace limits are exceeded, a gas mask approved for this purpose must be worn.

#### Hand protection

Butylrubber >= 0,5mm >= 480 min. After washing hands replace lost skin fat by fat containing skin creams. By using other gloves with a lower endurance, change them more often.

#### Eye protection

Use safety glasses.

#### Body protection

Light protective clothing.

---

## 09. Physical and chemical properties

### Image

**Form :** Liquid.  
**Colour :** Colourless.  
**Odour :** Like amine.

### Relevant safety data

<b>Boiling point / range :</b>	( 1013 hPa )	no data available		
<b>Flash point :</b>	>	100 °C	DIN 53213	
<b>Vapour pressure :</b>	( 50 °C )	no data available		
<b>Density :</b>	( 20 °C )	0,99	g/cm <sup>3</sup>	
<b>Solvent-separation test :</b>	( 20 °C )	inapplicable		
<b>Viscosity :</b>	( 20 °C )	100	mPa.s	

---

## 10. Stability and reactivity

### Conditions to avoid

Stable under recommended storage and handling conditions(See section 7).

### Materials to avoid

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions. Exothermic reactions with isocyanates and epoxide resin.

# Material Safety Data Sheet

according to 91/155/EEC

**Product name :** MASTERTOP BC 300, COMP B (CONIPOX 600)  
600\_B  
**Revision :** 07.07.2006      **Version :** 6.0.0  
**Print date :** 24.07.2006

---

## Hazardous decomposition products

Corrosive gases / vapours. Ammonia When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, oxides of nitrogen.

---

## 11. Toxicological information

### Experience on practice

Prolonged inhalation of vapours in high concentrations may lead to headache, giddiness and nausea. The product causes skin corrosions, and it causes serious damage to eyes.

### Additional toxicological information

The product was classified in toxicological terms on the basis of the results of the calculation procedure outlined within General Directive on Preparations (1999/45/EC).

---

## 12. Ecological information

### Details on elimination (persistence / degradability)

#### Biological degradation / elimination

Specification : Biodegradadtion ( 3-AMINOMETHYL-3,5,5-TRIMETHYLCYCLOHEXYLAMINE ; CAS-No. : 2855-13-2 )  
Value / dosage : 8 %  
Testing method : EEC C.4-A(DOC)

### Ecotoxicological effects

#### Aquatic toxicity

Specification : Toxicity to fish ( 3-AMINOMETHYL-3,5,5-TRIMETHYLCYCLOHEXYLAMINE ; CAS-No. : 2855-13-2 )  
Parameters : LC 50  
Brachydanio rerio  
Value / dosage : 70 mg/l  
Test-period : 96 h  
Testing method : EC 84/449

Specification : Toxicity to daphnia ( 3-AMINOMETHYL-3,5,5-TRIMETHYLCYCLOHEXYLAMINE ; CAS-No. : 2855-13-2 )  
Parameters : EC50  
Species: Daphnia magna Straus 1820  
Value / dosage : 44 mg/l  
Test-period : 24 h

Specification : Toxicity to daphnia ( 3-AMINOMETHYL-3,5,5-TRIMETHYLCYCLOHEXYLAMINE ; CAS-No. : 2855-13-2 )  
Parameters : NOEC  
Species: Daphnia magna Straus 1820  
Value / dosage : 3 mg/l  
Test-period : 504 h  
Testing method : OECD 202 part 2

Specification : Toxicity to algae ( 3-AMINOMETHYL-3,5,5-TRIMETHYLCYCLOHEXYLAMINE ; CAS-No. : 2855-13-2 )  
Parameters : EC50  
Scenedesmus subspicatus  
Value / dosage : 37 mg/l  
Test-period : 72 h

# Material Safety Data Sheet

according to 91/155/EEC

**Product name :** MASTERTOP BC 300, COMP B (CONIPOX 600)  
600\_B  
**Revision :** 07.07.2006      **Version :** 6.0.0  
**Print date :** 24.07.2006

---

Testing method : EC 88/302  
Specification : Toxicity to algae ( 3-AMINOMETHYL-3,5,5-TRIMETHYLCYCLOHEXYLAMINE ; CAS-No. : 2855-13-2 )  
Parameters : NOEC  
Scenedesmus subspicatus  
Value / dosage : 1,5 mg/l  
Test-period : 72 h  
Testing method : EC 88/302  
Specification : Toxicity to fish ( BENZYL ALCOHOL ; CAS-No. : 100-51-6 )  
Parameters : LC 50  
Pimephales promelas  
Value / dosage : 460 mg/l  
Test-period : 96 h  
Specification : Toxicity to fish ( BENZYL ALCOHOL ; CAS-No. : 100-51-6 )  
Parameters : LC 50  
Lepomis macrochirus  
Value / dosage : 27 mg/l  
Test-period : 96 h  
Specification : Toxicity to daphnia ( BENZYL ALCOHOL ; CAS-No. : 100-51-6 )  
Parameters : EC50  
Species: Daphnia magna Straus 1820  
Value / dosage : 400 mg/l  
Test-period : 24 h  
Specification : Toxicity to algae ( BENZYL ALCOHOL ; CAS-No. : 100-51-6 )  
Parameters : EC50  
Scenedesmus subspicatus  
Value / dosage : 640 mg/l  
Test-period : 96 h

## Toxicity to bacteria

Specification : Toxicity to bacteria ( 3-AMINOMETHYL-3,5,5-TRIMETHYLCYCLOHEXYLAMINE ; CAS-No. : 2855-13-2 )  
Parameters : EC10  
Pseudomonas putida  
Value / dosage : 1120 mg/l  
Test-period : 18 h

## Additional ecological information

### General ecological information

Do not empty into waters or drains.

---

## 13. Disposal considerations

Contaminated packaging must be emptied of all residues and, following appropriate cleaning, may be sent to a recycling plant. Uncleaned packaging must be disposed of in the same manner as the medium.

### Product

#### Waste key

According to the actual waste legislation it is not possible for us to give the waste code because it depends on the application of the product that we do not know here. If you need some help to determine this code, please ask your executives. Disposal Code according to European Waste Catalog (EWC) please specify according to the use of product, e.g.: 080111\* Waste from production, formulation, sales and application of paints and varnishes. Old paints and varnishes, containing organic solvents or

# Material Safety Data Sheet

according to 91/155/EEC

**Product name :** MASTERTOP BC 300, COMP B (CONIPOX 600)  
600\_B  
**Revision :** 07.07.2006      **Version :** 6.0.0  
**Print date :** 24.07.2006

---

some other dangerous product.

---

## 14. Transport information

### Land transport ADR/RID

#### Classification

**Class :** 8      **Kemlercode :** 80  
**Substance number :** 2735      **Classification-Code :** C7

LQ19

#### Proper shipping name

AMINE, LIQUID, CORROSIVE, N.O.S.

#### Hazardous components

ISOPHORONEDIAMINE

#### Packaging

**Packaging group :** III  
**Label :** 8

### Maritime transport IMDG/GGVSea

#### Classification

**IMDG-Code :** 8      **EmS number :** F-A / S-B  
**UN number :** 2735      **Marine Poll. :** -

LQ 5 I

#### Proper shipping name

AMINE, LIQUID, CORROSIVE, N.O.S.

#### Hazardous components

ISOPHORONEDIAMINE

#### Packaging

**Packaging group :** III  
**Label :** 8

### Air transport ICAO-TI and IATA-DGR

#### Classification

**Class :** 8  
**UN number :** 2735

#### Proper shipping name

AMINE, LIQUID, CORROSIVE, N.O.S.

#### Hazardous components

ISOPHORONEDIAMINE

#### Packaging

**Packaging group :** III  
**Label :** 8

---

## 15. Regulatory information

### Classification according to EC directives

Danger symbol and danger designation

# Material Safety Data Sheet

according to 91/155/EEC

**Product name :** MASTERTOP BC 300, COMP B (CONIPOX 600)  
600\_B  
**Revision :** 07.07.2006      **Version :** 6.0.0  
**Print date :** 24.07.2006

---



C ; Corrosive

## Hazard-determining components of labelling

3-AMINOMETHYL-3,5,5-TRIMETHYLCYCLOHEXYLAMINE ; CAS-No. : 2855-13-2

POLYOXYPROPYLEN DIAMINE ; CAS-No. : 9046-10-0

M-PHENYLENEBIS(METHYLAMINE) ; CAS-No. : 1477-55-0

## R-phrases

34 Causes burns.  
43 May cause sensitisation by skin contact.  
52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

## S-phrases

61 Avoid release to the environment. Refer to special instructions/Safety data sheets.  
1/2 Keep locked up and out of the reach of children.  
35 This material and its container must be disposed of in a safe way.  
51 Use only in well-ventilated areas.  
36/37/39 Wear suitable protective clothing, gloves and eye/face protection.  
46 If swallowed, seek medical advice immediately and show this container or label.  
45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).  
26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

## National regulatory information

### Regulation on inflammable liquids (VbF)

VbF-Class : Not dangerous according to VbF

### Emission control act ("TA-Luft")

Sum organic substances class I : 10 - 15 %

### Water pollution classification

Class : 2 according VwVWS

### Other regulations

Please refer to guideline M 004 "Irritant/Corrosive Chemicals" BG Chemie! (DE)

---

## 16. Other information

### Further information

We have no knowledge or control over the user's working conditions however. The product may not be used for any purpose other than that specified in chapter 16 unless written consent has been obtained. The user is responsible for the observance of all required statutory provisions.

### Relevant changes

08. Components with critical values that require monitoring at the workplace (exposure limits) · 14. Proper shipping name (ADR) · 14. Proper shipping name (IMDG) · 14. Proper shipping name (ICAO) · 15. S-phrases

### R-Phrases of components

20/21/22 Harmful by inhalation, in contact with skin and if swallowed.  
20/22 Harmful by inhalation and if swallowed.  
21/22 Harmful in contact with skin and if swallowed.

# Material Safety Data Sheet

according to 91/155/EEC

**Product name :** MASTERTOP BC 300, COMP B (CONIPOX 600)  
600\_B  
**Revision :** 07.07.2006      **Version :** 6.0.0  
**Print date :** 24.07.2006

---

34                      Causes burns.  
43                      May cause sensitisation by skin contact.  
52/53                  Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## Department issuing data sheet

BASF Construction Chemicals Business Line Performance Flooring.

## Contact

R. Burgos / C. Schmidt

---

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

---