



CODE H

Product Safety Data Sheet

1. Identification of the preparations and company.

Product details: Aqueous dispersion-based ready mixed adhesives and coating..

Trade names: ARDEX D 20
ARDEX D 30
ARDEX S 1-K

Manufacturer: ARDEX UK Limited Telephone: + 44 (0) 1440 714939
Homefield Road Facsimile: + 44 (0) 1440 716660
Haverhill Health and Safety contact: Mr C Potter
Suffolk
CB9 8QP
England

2. Composition/information on ingredients.

Product containing aqueous polymer dispersion, inert inorganic fillers and additives not classified as hazardous.

3. Hazard identification.

Not classified as hazardous to man and the environment under the current regulations.

4. First aid measures.

No special measures required.

After inhalation: Supply fresh air, consult doctor if symptoms develop.

Skin contact: Wash with soap and water.

Eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If persistent symptoms develop consult a doctor.

5. Fire-fighting measures.

Suitable extinguishing media: CO₂, water spray, dry powder, alcohol-resistant foam or sand to suit environment.

Normal hazard of combustion gases from organic materials.

6. Accidental release measures.

No dangerous materials released.

Personal safety precautions: Not required.

Environmental precautions: Diluted with plenty of water. Prevent large quantities reaching drains.

Methods of cleaning up: Take up with mechanical means or with absorbent materials, e.g. sand, sawdust, etc.

7. Handling and Storage.

No special precautions necessary if used correctly. See sections 8 and 13. Store containers tightly closed, upright and in dry, frost-free conditions.

CODE H

Product Safety Data Sheet - continued (page 2 of 3)

Revision dated
APRIL 2005



HIGH PERFORMANCE
TILING AND FLOORING PRODUCTS

8. Exposure controls/personal protection.

Exposure: No special measures required.

Personal protection: No special measures required.

9. Physical and chemical properties.

Appearance: Off white paste.

Solubility: Insoluble but dispersible in water.

Odour: Weak, characteristic smell.

pH value: Approximately 8.4 at 20°C.

Relative density: 1.6g/cm³.

Boiling point: Not applicable.

10. Stability and reactivity.

Stable when stored correctly, no dangerous reactions or decomposition products known.

11. Toxicological information.

This product is not subject to classification according to current guidelines.

12. Ecological information.

Water hazard class 1 (self assessment). Slightly hazardous for water. Do not allow unused material or large quantities of it to reach ground water, lakes and water courses or sewage systems.

13. Disposal considerations.

Advice on disposal: Dispose of empty containers or surplus product at a place authorised to accept non-hazardous builder's waste. Smaller quantities can be disposed of with household refuse. Containers can be recycled after cleaning.

14. Transport information.

Not hazardous for transport purposes according to current regulations.

15. Regulatory information.

This product is not subject to identification under the EU Directives and Ordinance on Hazardous Materials. This Product Data Sheet does not constitute a workplace risk assessment.

16. Other information.

Use only for the purposes intended. This information is based on our present state of knowledge and is intended to describe our products from the point of view of the safety requirement. It should not be construed as guaranteeing specific properties.

CODE H

Product Safety Data Sheet - continued (page 3 of 3)

Revision dated
APRIL 2005



HIGH PERFORMANCE
TILING AND FLOORING PRODUCTS

References:

HSE Guidance Note EH 40 (Occupational Exposure Limits)

The Control of Substances Hazardous to Health Regulations 1994 amended 1996 and 1997

The Chemicals (Hazard Information and Packaging for Supply) Regulations 1994 amended 1996

Approved Supply List (Second Edition)

Safety Data Sheets for Substances and Preparations Dangerous for Supply (Second Edition)