

Funcosil[®] GRAFFITI REMOVER



Article No. 0690

Low solvent, active cleaner with a special surface active agent and emulsifier system.

Property profile:

Funcosil Graffiti Remover is a specially formulated, self-acting, active cleaner for the complete removal of Funcosil Graffiti Protection layers. The product is biodegradable, environmentally correct and achieves very good cleaning results during the first working operation. It can also be used on corrosion sensitive surfaces.

Characteristic data of the product in the packaged state:

Density: 1.0 g/cm³
pH value: approx. 8
Colour: weak blue
Viscosity: approx. 1500 mPas (20 °C)

Range of use:

Funcosil Graffiti Remove is used for complete cleaning of surfaces treated with Funcosil Graffiti Protection. It can also be used to clean stubborn stains, e.g. soot, rubber, oils, etc. Depending on the absorbency of the substrate, it also removes paint smears on untreated substrates.

Directions:

Funcosil Graffiti Remover is always used undiluted. The surfaces to be cleaned are sprayed generously from the bottom to the top. Depending on the layer thickness of the

protective coating to be removed and the type of paint used for the graffiti, action time ranges between approx. 10 and 30 minutes. The cleaning process can be additionally supported by scrubbing with a hard brush. Rinse off the paint residue that forms with clear water and if necessary, dispose of the rinse water separately.

Notes:

Shake contents well before using. Do not dilute the product. Preliminary testing on an inconspicuous place is necessary for sensitive substrates and varnished surfaces.

Packaging, application rate and storing:

Packaging: 5 kg plastic containers

Application rate: Approx. 0.3-0.6 l/m²

Shelf-life: At least 12 months in closed, original containers stored cool but frost-free.

Safety, ecology, disposal:

Further information concerning safety during transport, storage and handling as well as for disposal is found in the latest Safety Data Sheet.

The statements above are compiled from our field of production and according to the latest technological developments and application techniques. Since application and working are beyond our control, no liability of the producer can be derived from the contents of this information sheet.

Any statements made beyond the contents of this information must be confirmed in writing by the producer.

In all cases, our general conditions of sale are valid.

With the publication of this Technical Information Sheet all previous editions are no longer valid.