

**1. PRODUCT AND COMPANY IDENTIFICATION**

<b>Product Code</b>	ARMC
<b>Product Name</b>	Sika Armorex Armorcrete
<b>Product Description</b>	Single component high strength large section cementitious grout.
<b>Manufacturer/Supplier</b>	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ tel. 01707 394444 Fax. 01707 329129

**2. COMPOSITION/INFORMATION ON THE COMPONENTS**Preparation - Hazardous ingredients ( Europe )

<b>Component</b>	<b>CAS/EINECS</b>	<b>Concentration</b>	<b>Classification</b>	<b>Risk Phrases</b>
Portland Cement	65997-15-1	25.00% - 50.00%	Xi	R41

**3. HAZARD IDENTIFICATION**

**Main Hazards** Risk of serious damage to eyes.

**4. FIRST AID MEASURES**

<b>Eye Contact</b>	Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention urgently.
<b>Skin Contact</b>	Wash skin thoroughly with soap and water. Obtain medical attention if blistering occurs or redness persists. Contaminated clothing should be washed or dry-cleaned before re-use.
<b>Ingestion</b>	Do not induce vomiting. Wash out mouth with water.
<b>Inhalation</b>	Remove from exposure. In cases of possible respiratory irritation or if feeling unwell in cases of prolonged exposure, obtain medical attention.

**5. FIRE FIGHTING MEASURES**

**Extinguishing Media** Not combustible.  
Select extinguishing agent appropriate to other materials involved.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal Precautions** Wear appropriate protective clothing.  
**Spillages** Avoid creating a dust.  
Sweep up into suitable containers for recovery or disposal.



# SAFETY DATA SHEET

## Sika Armorex Armorcrete

Date of issue - 22/08/2006.

ARMC

### 7. HANDLING AND STORAGE

#### Handling

Avoid inhaling dust.  
Exposure by inhalation or skin contact should be minimised by good Industrial Hygiene practices.

#### Storage

Use in well ventilated area.  
Storage area should be: cool. dry.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Occupational Exposure Limits - GB

Portland Cement

UK EH40: WEL 10 mg/m<sup>3</sup> 8h TWA. Dust, total inhalable:  
UK EH40: WEL 4 mg/m<sup>3</sup> 8h TWA. Dust, respirable:

#### Engineering Control Measures

Use of the basic principles of Industrial Hygiene will enable this material to be used safely.

#### Respiratory Protection

Every effort should be made to prevent airborne dusts arising during mixing operations.

#### Hand Protection

If limits are exceeded use an approved dust mask.

#### Eye Protection

Wear suitable impervious gloves.

#### Body Protection

Dust tight goggles.

Protective clothing should be worn which ensures that cementitious materials do not come into contact with the skin. Particular care should be taken to ensure that wet mortar does not enter boots/footwear.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Physical State

Powder.

#### Color

Grey.

#### Odor

None.

#### pH

Approx. 12 in water.

#### Flash Point °C

Not applicable.

#### Solubility - Water

Partially soluble.

#### Density (kg/m<sup>3</sup>)

Approx. 1350 (loose)

### 10. STABILITY AND REACTIVITY

#### Stability

Stable under normal conditions.

#### Materials to avoid

Strong mineral acids.

#### Hazardous Decomposition Products

None known.

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Low order of acute toxicity.

#### Eye irritation

Cement is a severe eye irritant.  
Gross exposures or untreated mild exposures can lead to chemical burning and ulceration of the eye.

#### Skin irritation

Cement and/or water/cement mixtures may cause irritant contact dermatitis, and/or burns.



# SAFETY DATA SHEET

## Sika Armorex Armorcrete

Date of issue - 22/08/2006.

ARMC

### 12. ECOLOGICAL INFORMATION

<i>Mobility</i>	The product is sparingly soluble in water.
<i>Persistence/degradability</i>	Inorganic basis, therefore non biodegradable.
<i>Ecotoxicity</i>	The product is expected to be non-hazardous to aquatic species.


### 13. DISPOSAL

<i>Product Disposal</i>	Hazardous waste. Arrange for disposal via a licensed waste contractor.
<i>Container Disposal</i>	Empty packaging may be disposed along with normal builders waste via an authorised waste contractor.

### 14. TRANSPORT INFORMATION

<i>ADR/RID : Proper shipping name</i>	Not Regulated under ADR/RID
<i>IMDG : Proper shipping name</i>	Not Regulated under IMDG
<i>IATA : Proper shipping name</i>	Not Regulated under ICAO

### 15. REGULATORY INFORMATION

<i>Label Requirements</i>	Irritant 
<i>Risk Phrases</i>	Risk of serious damage to eyes.
<i>Safety Phrases</i>	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. After contact with skin, wash immediately with plenty of soap and water.

### 16. OTHER INFORMATION

<i>First Issue Date</i>	8.8.2003
<i>Revisions Highlighted</i>	Trade Name of Product
<i>Uses and Restrictions</i>	Customers are urged to ensure that the product is entirely suitable for their own purpose. It is the customer's responsibility to ensure that a suitable and sufficient assessment of the risks created by the use of the product is undertaken.
<i>UK Legislation</i>	SI 2005/ 894 Hazardous waste regulations 2005 Health and Safety at Work etc Act, 1974, and relevant Statutory Provisions. SI 2002/1689: Chemicals (Hazard Information and Packaging) Regulations, 2002. SI 2002/2677: The Control of Substances Hazardous to Health Regulations SI No 2839 1991 Environmental Protection (Duty of Care) Regulations.
<i>UK Guidance Publications</i>	General Approved Code of Practice to COSHH Regulations, HSE. EH40, Occupational Exposure Limits, HSE. Revised Annually. EH44, Dust in the Workplace: General Principles of Protection, HSE. EH26, Occupational Skin Diseases: Health and Safety Precautions, HSE. CONIAC Health Hazard Information Sheet No.26 (Cement)



**SAFETY DATA SHEET**  
**Sika Armorex Armorcrete**

Date of issue - 22/08/2006.

ARMC

---

**Footnote**

The information contained in this Material Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the Technical Data Sheet prior to use.