# **SAFETY DATA SHEET**

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - United Kingdom (UK)

### Sikagard 205W



1/11

SECTION 1: Identification company/undertaking	ו of	the substance/mixture and of the
1.1 Product identifier		
Product name	:	Sikagard 205W
<b>1.2 Relevant identified uses of the</b> Not available.	subs	tance or mixture and uses advised against
1.3 Details of the supplier of the sa	fety	data sheet
Manufacturer/Distributor	:	Promain UK Limited Promain House, Knowl Piece Hitchin, Herts, SG4 0TY United Kingdom
Telephone no.	:	01462 421333
Fax no.	:	01462 421337
e-mail address of person responsible for this SDS	:	EHS@uk.sika.com
Emergency telephone number	:	+44 (0)1707 363899 (available during office hours).
1.4 Emergency telephone number		
<u>Supplier</u>		
Telephone number : +4	14 (0)	1707 363899 (available during office hours).
SECTION 2: Hazards ide	ntif	ication
2.1 Classification of the substance	or m	nixture

Product definition : Mixture

#### Classification according to Directive 1999/45/EC [DPD]

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification	: R52/53
Environmental hazards	: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic
	environment.

See Section 16 for the full text of the R phrases or H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

Hazard symbol or symbols	
Indication of danger	
Risk phrases	R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Safety phrases	Not applicable.
Hazardous ingredients	
Supplemental label elements	Contains 4,5-dichloro-2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.
2.3 Other hazards	

Other hazards which do not : Not available. result in classification

: 26.07.2011. MSDS no. : 605310-1 Date of issue

## **SECTION 2: Hazards identification**

# **SECTION 3: Composition/information on ingredients**

# Substance/mixture

: Mixture

Chemical family/ **Characteristics** 

: Aqueous dispersion of styrene acrylate

		Clas	sification	Туре
Product/ingredient name Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	
tris(methylphenyl) phosphate EC: 215-548-8 CAS: 1330-78-5	>= 0.25 - < 1	Xn; R21/22 N; R51/53	Acute Tox. 4, H302 Acute Tox. 4, H312 Aquatic Chronic 2, H411	[1]
bis(methylphenyl) phenyl phosphate EC: 247-708-8 CAS: 26446-73-1	>= 0.25 - < 2.5	N; R51/53	Aquatic Chronic 2, H411	[1]
4,5-dichloro-2-octyl-2H-isothiazol-3-one EC: 264-843-8 CAS: 64359-81-5	>= 0.1 - < 1	Xn; R21/22 C; R34 Xi; R37 R43 N; R50	Acute Tox. 4, H302 Acute Tox. 4, H312 Skin Corr. 1B, H314 Skin Sens. 1, H317 STOT SE 3, H335 Aquatic Acute 1, H400	[1]
octhilinone (ISO) EC: 247-761-7 CAS: 26530-20-1 Index: 613-112-00-5	<0.05	T; R23/24 Xn; R22 C; R34 R43 N; R50/53	Acute Tox. 4, H302 Acute Tox. 3, H311 Acute Tox. 3, H311 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	[1]
		See section 16 for the full text of the R-phrases declared above	See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Occupational exposure limits, if available, are listed in Section 8.

# **SECTION 4: First aid measures**

<ul> <li>Eye contact         <ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.</li> </ul> </li> <li>Inhalation         <ul> <li>Get medical attention if adverse health effects persist or are severe.</li> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</li> </ul> </li> <li>Ingestion         <ul> <li>Do not induce vomiting unless directed to do so by medical personnel. Maintain an open airway. Seek immediate medical attention.</li> </ul> </li> <li>Protection of first-aiders         <ul> <li>No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.</li> </ul> </li> </ul>	4.1 Description of first aid m	easures
Skin contact       : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.         Ingestion       : Do not induce vomiting unless directed to do so by medical personnel. Maintain an open airway. Seek immediate medical attention.         Protection of first-aiders       : No action shall be taken involving any personal risk or without suitable training. It maintain	Eye contact	eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10
Ingestion: Do not induce vomiting unless directed to do so by medical personnel. Maintain an open airway. Seek immediate medical attention.Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training. It ma	Inhalation	: Get medical attention if adverse health effects persist or are severe.
open airway. Seek immediate medical attention.Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training. It ma	Skin contact	
	Ingestion	
	Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

#### 4.2 Most important symptoms and effects, both acute and delayed

Date of issue : 26.07.2011. MSDS no. :	605310-1 <b>2/11</b>
--	----------------------

26.07.2011 3/11

# **SECTION 4: First aid measures**

Potential acute health	effects
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/s	ymptoms
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
4.3 Indication of any imi	nediate medical attention and special treatment needed
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	Use dry chemical, CO <sub>2</sub> , water spray (fog) or foam.	
Unsuitable extinguishing media	None known.	
5.2 Special hazards arising f	the substance or mixture	
Hazards from the substance or mixture	In a fire or if heated, a pressure increase will occur and the container may burst.	
Hazardous thermal decomposition products	Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides	
5.3 Advice for firefighters		
Special protective actions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident there is a fire. This material is harmful to aquatic organisms. Fire water contamin with this material must be contained and prevented from being discharged to any waterway, sewer or drain.	nated
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.	or

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, prot	tective equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures.

 Date of issue
 : 26.07.2011.
 MSDS no. : 605310-1
 3/11

### **SECTION 6: Accidental release measures**

6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material.		
6.3 Methods and materials	for containment and cleaning up		
Small spill	: Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container.		
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13).		
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.		

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Sikagard 205W

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not breathe vapour or mist. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limits

No exposure limit value known.

Recommended monitoring procedures	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.
--------------------------------------	--

Date of issue : 26.07.2011.

**MSDS no.** : 605310-1

4/11

### **SECTION 8: Exposure controls/personal protection**

### Derived effect levels

No DELs available.

#### Predicted effect concentrations

No PECs available.

8.2 Exposure controls		
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
Individual protection measu	ures	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Reference number EN 374. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves. (0,4 mm), breakthrough time <30 min. Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Use barrier skin cream.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	No special measures required.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	: Viscous liquid.
Colour	: Various.
Odour	: Faint odour.
Odour threshold	: Not available.
рН	: 8 to 9
Melting point/freezing point	: Not available.
Initial boiling point and boiling range	: >100℃
Flash point	: Closed cup: Not applicable.
Evaporation rate	: <1 (ether (anhydrous) = 1)
Flammability (solid, gas)	: Not available.
Burning time	: Not applicable.
Burning rate	: Not applicable.

Date of issue

26.07.2011 6/11

# **SECTION 9: Physical and chemical properties**

Upper/lower flammability or explosive limits	: Not applicable.
Vapour pressure	: Not applicable.
Vapour density	: >1 [Air = 1]
Density	: ~1.3 g/cm <sup>3</sup> [20℃ (68℉)]
Relative density	: Not available.
Solubility(ies)	: Soluble in the following materials: water
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not applicable.
Decomposition temperature	: Not available.
Viscosity	: Not available.
Explosive properties	: Not available.
Oxidising properties	: Not available.

### 9.2 Other information

No additional information.

SECTION 10: Stability and reactivity				
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.			
10.2 Chemical stability	: The product is stable.			
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.			
10.4 Conditions to avoid	: No specific data.			
10.5 Incompatible materials	: No specific data.			
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.			

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### Acute toxicity

Product/ingredient nam	ne Result	Species	Dose	Exposure
2-octyl-2H-isothiazol-3-one	e LD50 Dermal LD50 Oral	Rabbit Rat	690 mg/kg 550 mg/kg	-
Conclusion/Summary	: Not available.			
Irritation/Corrosion				
Conclusion/Summary	: Not available.			
Sensitisation				
Conclusion/Summary	: Not available.			
<u>Mutagenicity</u>				
Conclusion/Summary	: Not available.			
<b>Carcinogenicity</b>				
Conclusion/Summary	: Not available.			
Reproductive toxicity				

Date of issue

### **SECTION 11: Toxicological information**

Sikagard 205W

Conclusion/Summary	:	Not available.		
<b>Teratogenicity</b>				
Conclusion/Summary	:	Not available.		
Information on the likely	:	Not available.		
routes of exposure				
Potential acute health effects				
Eye contact	:	May cause eye irritation.		
Inhalation	:	May cause irritation.		
Skin contact	:	May cause skin irritation.		
Ingestion	:	Can cause gastrointestinal disturbances.		

# Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure	
Potential immediate : effects	Not available.
Potential delayed effects :	Not available.
Long term exposure	
Potential immediate : effects	Not available.
Potential delayed effects :	Not available.
Potential chronic health effect	<u>s</u>
Not available.	
Conclusion/Summary :	Not available.
General :	No known significant effects or critical hazards.
Carcinogenicity :	No known significant effects or critical hazards.
Mutagenicity :	No known significant effects or critical hazards.
Teratogenicity :	No known significant effects or critical hazards.
Developmental effects :	No known significant effects or critical hazards.
Fertility effects :	No known significant effects or critical hazards.

Other information

: Not available.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
tris(methylphenyl) phosphate	Acute EC50 3.2 to 4.5 mg/L Fresh water	Daphnia	48 hours
	Acute LC50 4.5 to 6.2 mg/L Fresh water	Fish	96 hours
2-octyl-2H-isothiazol-3-one	Acute EC50 0.031 mg/l	Algae	72 hours
Conclusion/Summary	: Not available.	ł	ł

### 12.2 Persistence and degradability

Date of issue	: 26.07.2011.	<b>MSDS no.</b> : 605310-1	7/11
---------------	---------------	----------------------------	------

# **SECTION 12: Ecological information**

Conclusion/Summary

**Summary** : Not available.

### 12.3 Bioaccumulative potential

Not available.

Sikagard 205W

12.4 Mobility in soil		
Soil/water partition coefficient (Koc)	:	Not available.
Mobility	:	Not available.
12.5 Results of PBT and vPvB	3 a	ssessment
PBT	:	Not applicable.
vPvB	:	Not applicable.
12.6 Other adverse effects	:	No known significant effects or critical hazards.

# **SECTION 13: Disposal considerations**

13.1 Waste treatment met	hods
Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	: Completely emptied packaging or practically empty packaging containing dried/cured residues, once relieved of all pressure can be disposed of as non-hazardous waste.
	Packaging may still contain hazardous residues and disposal should undertaken by a licensed waste contractor.
	Any disposal practice must be in compliance with local and national laws and regulations.

SECTION 14: Transport information			
	ADR/RID - ADN/ADNR	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name			
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
Date of issue	: 26.07.2011.	MSDS no.	: 605310-1 <b>8/11</b>

### Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - United Kingdom (UK)

Sikagard 205W			26.07.2011 9/11	
SECTION 14: Transport information				
14.6 Special precautions for user	Not available.	Not available.	Not available.	
Additional information	-	-	-	

14.7 Transport in bulk : Not available. according to Annex II of MARPOL 73/78 and the IBC Code

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Substances of very high of	ncern
None of the components a	e listed.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not applicable.
VOC content (EU)	: VOC (w/w): 3.6%
Other EU regulations	
REACH Information:	<ul> <li>All substances contained in Sika Products are</li> <li>preregistered or registered by our upstream suppliers, and/or</li> <li>preregistered or registered by Sika, and/or</li> <li>excluded from the regulation, and/or</li> <li>exempted from the registration.</li> </ul>
Europe inventory	Not available.
References	<ul> <li>Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (CH 4)</li> <li>Control of Substances Hazardous to Health Regulations 2002 (COSHH) (as amended)</li> <li>Health &amp; Safety at Work Act 1974</li> <li>The Environmental Protection (Duty of Care) Regulations 1991</li> </ul>
	The Carriage of Dangerous Goods and Use of Transportable Pressure Equipmer Regulations 2007
Guidance Publications	Approved Code of Practice - Management of Health and Safety at Work, HSE General Approved Code of Practice to COSHH Regulations, HSE.
5.2 Chemical Safety ssessment	<ul> <li>This product contains substances for which Chemical Safety Assessments are stil required.</li> </ul>

### **SECTION 16: Other information**

Indicates information that has a second s	as changed from previously issued version.
Abbreviations and acronyms	<ul> <li>ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number</li> </ul>
Full text of abbreviated H statements	<ul> <li>H302 Harmful if swallowed.</li> <li>H311 Toxic in contact with skin.</li> <li>H312 Harmful in contact with skin.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H331 Toxic if inhaled.</li> <li>H335 May cause respiratory irritation.</li> <li>H400 Very toxic to aquatic life.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> <li>H411 Toxic to aquatic life with long lasting effects.</li> <li>H412 Harmful to aquatic life with long lasting effects.</li> </ul>
Full text of classifications [CLP/GHS]	<ul> <li>Acute Tox. 3, H311</li> <li>Acute Tox. 3, H311</li> <li>Acute Tox. 3, H331</li> <li>Acute Tox. 4, H302</li> <li>Acute Tox. 4, H312</li> <li>Acute Tox. 4, H312</li> <li>Acute Tox. 4, H312</li> <li>Acute Tox. 4, H312</li> <li>Acute Tox. 1, H400</li> <li>Aquatic Acute 1, H400</li> <li>Aquatic Chronic 1, H410</li> <li>Aquatic Chronic 2, H411</li> <li>Aquatic Chronic 3, H412</li> <li>Skin Corr. 1B, H314</li> <li>Skin Sens. 1, H317</li> <li>STOT SE 3, H335</li> <li>ACUTE TOXICITY: SKIN - Category 1</li> <li>ACUTE TOXICITY (CHRONIC) - Category 2</li> <li>AQUATIC TOXICITY (CHRONIC) - Category 3</li> <li>SKIN CORROSION/IRRITATION - Category 1B</li> <li>SKIN SENSITIZATION - Category 1</li> <li>SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) [Respiratory tract irritation] - Category 3</li> </ul>
Full text of abbreviated R phrases	<ul> <li>R23/24- Toxic by inhalation and in contact with skin.</li> <li>R22- Harmful if swallowed.</li> <li>R21/22- Harmful in contact with skin and if swallowed.</li> <li>R34- Causes burns.</li> <li>R37- Irritating to respiratory system.</li> <li>R43- May cause sensitisation by skin contact.</li> <li>R50- Very toxic to aquatic organisms.</li> <li>R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> <li>R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> <li>R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> </ul>
Full text of classifications [DSD/DPD]	: T - Toxic C - Corrosive Xn - Harmful Xi - Irritant N - Dangerous for the environment
History	

### <u>History</u>

Date of printing	: 26.07.2011.
Date of issue	: 26.07.2011.
Date of previous issue	: 11.07.2011.

#### Notice to reader

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

 Date of issue
 : 26.07.2011.
 MSDS no. : 605310-1
 10/11